information co	and the ontained				PART NUMBER	LENGTH
herein are the	e confidential				4C8MPBSP	1/8
and proprietary property					4C12MPBSP	3/16
of Global Supply LLC					4C16MPBSP	1/4
					4C20MPBSP	5/16
	10000	22.3.4			4C24MPBSP	3/8
0.141				3	4C28MPBSP	7/16
		~			4C32MPBSP	1/2
	0.0	34		— xx — –	4C36MPBSP	9/16
				720000	4C40MPBSP	5/8
					4C44MPBSP	11/16
				E DE	4C48MPBSP	3/4
			2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4C56MPBSP	7/8
			1 LAAAAA		4C64MPBSP	1
NOTES	0.2	235—				
1. INTERPRET DF 2. DIMENSIONS	RAWINGS PER / & TOLERANCES	ASME Y14.5M- S PER ANSI/ASI				
2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE:	RAWINGS PER A & TOLERANCES EACH COMPLIA	ASME Y14.5M- S PER ANSI/ASI		DESCRIPTION: 4-40 PHILLIPS BINDE	ER HEAD MACHINE SCREW	
1. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE: TOLERANCES:	RAWINGS PER / & TOLERANCES EACH COMPLIA STANDARD	ASME Y14.5M- S PER ANSI/ASI NT -/- 0.005	ME B18.6.3. MATERIAL: STAINLESS STEEL FINISH:			
L. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE:	RAWINGS PER / & TOLERANCES EACH COMPLIA STANDARD X.XXX + X.XX +	ASME Y14.5M- S PER ANSI/ASI NT	ME B18.6.3. MATERIAL: STAINLESS STEEL	4-40 PHILLIPS BINDE	ER HEAD MACHINE SCREW	
1. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE: TOLERANCES: Unless specified otherwise, all dimensions are in	RAWINGS PER / & TOLERANCES EACH COMPLIA STANDARD X.XXX + X.XX +	ASME Y14.5M- S PER ANSI/ASI NT -/- 0.005 -/- 0.010	ME B18.6.3. MATERIAL: STAINLESS STEEL FINISH:	4-40 PHILLIPS BINDE		
L. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE: TOLERANCES: Unless specified otherwise, all dimensions are in inches DRAWN BY:	RAWINGS PER / & TOLERANCES EACH COMPLIA STANDARD X.XXX + X.XX + X.XX + X.X + L CLARY	ASME Y14.5M- S PER ANSI/ASI NT -/- 0.005 -/- 0.010 -/- 0.010	ME B18.6.3. MATERIAL: STAINLESS STEEL FINISH: PASSIVATE FSCM No.	4-40 PHILLIPS BINDE PART NUMBER:	4CXXMPBSP	
L. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE: TOLERANCES: Unless specified otherwise, all dimensions are in inches	RAWINGS PER / & TOLERANCES EACH COMPLIA STANDARD X.XXX + X.XX + X.XX + X.X +	ASME Y14.5M- S PER ANSI/ASI NT -/- 0.005 -/- 0.010	ME B18.6.3. MATERIAL: STAINLESS STEEL FINISH: PASSIVATE	4-40 PHILLIPS BINDE PART NUMBER:	4CXXMPBSP	
1. INTERPRET DF 2. DIMENSIONS 3. ROHS AND RE DRAWING SCALE: Unless specified otherwise, all dimensions are in inches DRAWN BY: REV:	RAWINGS PER / & TOLERANCES EACH COMPLIAI STANDARD X.XXX + X.XX + X.XX + X.X + L CLARY APPROVAL	ASME Y14.5M- S PER ANSI/ASI NT -/- 0.005 -/- 0.010 -/- 0.010 DATE:	ME B18.6.3. MATERIAL: STAINLESS STEEL FINISH: PASSIVATE FSCM No.	4-40 PHILLIPS BINDE PART NUMBER:	4CXXMPBSP	TRONIC